

SPACIO



- Code: FTS 1007 027
- Description: Polyvalent chair

DESCRIPTION

Polypropylene (PP) **back** with 15% fibre glass. Wide range of colours. Optional Polypropylene (PP) **Arms** reinforced with fibre glass.

Seat:

- shell, moulded Polypropylene (PP)
- shell is manufactured with **SEBS** double layer padded injection on the rigid Polypropylene (PP) shell with mineral particles
- Upholstered over foam (40kg/m^3), Fabric T or Fabric N .

Warm laminated **steel** frame 1,5 mm and 20 mm thickness. Silver epoxy coat, 90 micron and anti-bacterial treatment. Stacking caps included.

BACK AND SEAT



SEAT



Fabric: T and N
(see finishes and fabric card)

BACK



Moulded polypropylene (PP)



Upholstered over foam (40kg/m^3),
Fabric T or Fabric N



SEBS double layer padded injection
on the rigid Polypropylene (PP)
shell with mineral particles

COMPLEMENTS



Optional writing tablet, compact laminate 13 mm (white or black) and MFC silver 16 mm thickness. It could be fixed to the right or left hand side



Polypropylene (PP) linking devices
5 mm thickness

SIZES

Total height: from 830 mm
Total width: from 500 mm
Total depth: from 530 mm


Seat height: from 420 mm
Seat width: from 470 mm
Seat depth: from 440 mm




- 1 Polyamide (PP) 5 mm thickness with fibre glass backrest. Ergonomic shaped back including transpiration strips
- 2 Optional arms: Polypropylene (PP) with fibre glass
- 3 Back reinforcement
- 4 Anti-skid surface seat
- 5 Stacking caps
- 6 Steel tube frame, silver finish
- 7 Polypropylene (PP) glides and caps, matching seat and backrest



SIZES



8,53% recycled materials



MATERIALS

SPACIO has been designed to be manufactured with recycled materials 8,53%, danger substances such as chrome, mercury or cadmium are not used in big quantity. Recyclables Aluminium and Steel 100%. Organic volatile Components. Packages manufactured with recycled carton. Ink thinner free.



PRODUCTION

Energy use is optimized during the production process. Minimum environmental impact. Last generation technological system in coating processes. Painting that have not been used is recovered to use it again. Zero COVs emissions and other contaminant gas. Close water circuit to clean the metals. Heat recovery. Automatic manufacture systems. Cut process is planned.



TRANSPORT

Optimum packaging to reduce space in transport and save energy.



USE

Long lasting use. Spare parts and replacements available. Easy to clean and maintenance.



DISPOSAL

98,99% recyclable. Easy and quick to split **SPACIO** components. Packages are reuse by our supplier to avoid waste generation. Carton used in packages is recyclable.

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsible forestry



PEFC Certificate



EN ISO 14006:2011
ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004
ISO 14001 Certificate



E1 by EN 13986 Certificate



ACTIU TECHNOLOGICAL PARK
project certified as LEED® GOLD
by U.S. Green Building Council 2011
Leadership in Energy & Environmental Design

DESCRIPTION

Polypropylene (P.P) **back** with 15% fibre glass. Wide range of colours. Optional Polypropylene (P.P) **Arms** reinforced with fibre glass.

Seat:

- shell, moulded Polypropylene (P.P)
 - shell is manufactured with **SEBS** double layer padded injection on the rigid Polypropylene (P.P) shell with mineral particles
 - Upholstered over foam (40kg/m^3), Fabric T or Fabric N
- Warm laminated **steel** frame 1,5 mm and 20 mm thickness. Silver epoxy coat, 90 micron and anti-bacterial treatment. Stacking caps included

BACK AND SEAT



SEAT



Fabric: T and N
(see finishes and fabric card)

BACK



Moulded polypropylene (P.P)



Upholstered over foam (40kg/m^3),
Fabric T or Fabric N



SEBS double layer padded injection
on the rigid Polypropylene (P.P)
shell with mineral particles

SIZES


Total height: from 830 mm
Total width: from 500 mm
Total depth: from 530 mm

Seat height: from 420 mm
Seat width: from 470 mm
Seat depth: from 440 mm




- 1 Polyamide (**P.P**) 5 mm thickness with fibre glass backrest. Ergonomic shaped back including transpiration strips
- 2 Back reinforcement
- 3 Anti-skid surface seat
- 4 Steel tube frame, silver finish
- 5 Almond aluminized steel tubing
- 6 Castors $\varnothing$ 50 mm

SIZES



8,53% recycled materials



MATERIALS

SPACIO has been designed to be manufactured with recycled materials 8,53%, danger substances such as chrome, mercury or cadmium are not used in big quantity. Recyclables Aluminium and Steel 100%. Organic volatile Components. Packages manufactured with recycled carton. Ink thinner free.



PRODUCTION

Energy use is optimized during the production process. Minimum environmental impact. Last generation technological system in coating processes. Painting that have not been used is recovered to use it again. Zero COVs emissions and other contaminant gas. Close water circuit to clean the metals. Heat recovery. Automatic manufacture systems. Cut process is planned.



TRANSPORT

Optimum packaging to reduce space in transport and save energy.



USE

Long lasting use. Spare parts and replacements available. Easy to clean and maintenance.



DISPOSAL

98,99% recyclable. Easy and quick to split **SPACIO** components. Packages are reuse by our supplier to avoid waste generation. Carton used in packages is recyclable.

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsible forestry



PEFC Certificate



EN ISO 14006:2011
ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004
ISO 14001 Certificate



E1 by EN 13986 Certificate



ACTIU TECHNOLOGICAL PARK
project certified as LEED® GOLD
by U.S. Green Building Council 2011
Leadership in Energy & Environmental Design

DESCRIPTION

Polypropylene (P.P) **back** with 15% fibre glass. Wide range of colours.
Optional Polypropylene (P.P).

Arms reinforced with fibre glass.

Seat:

- shell, moulded Polypropylene (P.P)
- shell is manufactured with **SEBS** double layer padded injection on the rigid Polypropylene (P.P) shell with mineral particles
- Upholstered over foam (40kg/m^3), Fabric T or Fabric N and 2 mm thickness. Silver epoxy coat, 90 micron and anti-bacterial treatment. Black or silver polyamide (**PAG + 30% FV**) start **Base** Ø 65 cm with black or dark grey castors. Gas lift.

BACK AND SEAT



SEAT



Fabric: T and N
(see finishes and fabric card)

BACK



Moulded polypropylene (P.P)



Upholstered over foam (40kg/m^3),
Fabric T or Fabric N



SEBS double layer padded injection
on the rigid Polypropylene (P.P)
shell with mineral particles

BASES AND CASTORS



Black Polyamide - Ø 65 cm
Black Polyamide castor Ø 50 mm
Black anti-skid castor Ø 50 mm



Dark grey Polyamide - Ø 65 cm
Dark grey Polyamide castor Ø 50 mm
Dark grey anti-skid castor Ø 50 mm



- 1 Polyamide (P.P) 5 mm thickness with fibre glass backrest. Ergonomic shaped back including transpiration strips
- 2 Back reinforcement
- 3 **Optional** arms: Polypropylene (P.P) with fibre glass
- 4 Anti-skid surface seat optional upholstered
- 5 Gas lift
- 6 Base Ø 65 cm (**PAG+30% FV**)
- 7 Anti-skid castors Ø 50 mm

SIZES

Total height: from 850 to 955 mm

Total width: from 650 mm


Total depth: from 650 mm

Seat height: from 420 mm

Seat width: from 470 mm

Seat depth: from 440 mm

SIZES



8,53% recycled materials



MATERIALS

SPACIO has been designed to be manufactured with recycled materials 8,53%, danger substances such as chrome, mercury or cadmium are not used in big quantity. Recyclables Aluminium and Steel 100%. Organic volatile Components. Packages manufactured with recycled carton. Ink thinner free.



PRODUCTION

Energy use is optimized during the production process. Minimum environmental impact. Last generation technological system in coating processes. Painting that have not been used is recovered to use it again. Zero COVs emissions and other contaminant gas. Close water circuit to clean the metals. Heat recovery. Automatic manufacture systems. Cut process is planned.



TRANSPORT

Optimum packaging to reduce space in transport and save energy.



USE

Long lasting use. Spare parts and replacements available. Easy to clean and maintenance.



DISPOSAL

98,99% recyclable. Easy and quick to split **SPACIO** components. Packages are reuse by our supplier to avoid waste generation. Carton used in packages is recyclable.

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsible forestry



PEFC Certificate



ECODESIGN Certificate



ISO 9001 Certificate



ISO 14001 Certificate



E1 by EN 13986 Certificate



ACTIU TECHNOLOGICAL PARK
project certified as LEED® GOLD
by U.S. Green Building Council 2011
Leadership in Energy & Environmental Design

DESCRIPTION

Polypropylene (P.P) **back** with 15% fibre glass. Wide range of colours.
Optional Polypropylene (P.P) **Arms** reinforced with fibre glass.

Seat:

- shell, moulded Polypropylene (P.P)
- shell is manufactured with **SEBS** double layer padded injection on the rigid Polypropylene (P.P) shell with mineral particles
- Upholstered over foam (40kg/m^3), Fabric T or Fabric N

Chromed steel footrest. Curved tube $\varnothing 18 \times 1,5$ mm thickness. Swivel 5 star **base** $\varnothing 67,5$ cm available in silver or black polyamide with Black anti-skid Polyethylene (**PE**). Gas lift.

BACK AND SEAT



SEAT



Fabric: T and N
(see finishes and fabric card)

BACK



Moulded polypropylene (P.P)



Upholstered over foam (40kg/m^3),
Fabric T or Fabric N



SEBS double layer padded injection
on the rigid Polypropylene (P.P)
shell with mineral particles

BASE



Swivel base. Silver polish
 $\varnothing 67,5$ cm Black anti-skid
Polyethylene (**PE**)



Swivel base black polyamide
 $\varnothing 67,5\text{cm}$ Black anti-skid
polyethylene (**PE**)



- ① Polyamide (**P.P**) 5 mm thickness with fibre glass backrest. Ergonomic shaped back including transpiration strips
- ② Back reinforcement
- ③ **Optional** arms: Polypropylene (**P.P**) with fibre glass
- ④ Anti-skid surface seat Optional upholstered
- ⑤ Gas lift
- ⑥ Chromed steel footrest. Curved tube $\varnothing 18 \times 1,5$ mm thickness
- ⑦ 5 Star base, $\varnothing 67,5$ cm
- ⑧ Black anti-skid polyethylene (**PE**)

SIZES

Total height: from 1050 mm to 1230 mm

Total width: from 675 mm



Total depth: from 206 mm

Seat height: from 420 mm

Seat width: from 470 mm

Seat depth: from 440 mm

SIZES






DESCRIPTION

- ① Polypropylene (P.P) **back** with 15% fibre glass. Wide range of colours. **Optional** Polypropylene (P.P). **Arms** reinforced with fibre glass.
- ② Back reinforcement
- ③ **Seat:**
 - shell, moulded Polypropylene (P.P)
 - shell is manufactured with **SEBS** double layer padded injection on the rigid Polypropylene (P.P) shell with mineral particles
 - Upholstered over foam (40kg/m^3), Fabric T or Fabric N
- ④ Steel **legs**, cone shape 35 x 40 x 1,5 mm thickness
- ⑤ Moulded **ABS leveler**. Polyethylene (PE) caps Ø 40 mm
- ⑥ Moulded **steel beam**. Silver finish 80 x 40 x 2 mm thickness
- ⑦ **Optional** MFC table in different finishes: elm, walnut. 4 and 5 seats SPACIO beams include a central support leg.

SIZES

Total height: from 830 mm
 Total width: from 1150 mm to 2380 mm
 Total depth: from 590 mm
 Seat height: from 420 mm
 Seat width: from 470 mm
 Seat depth: from 440 mm

SIZES



BACK AND SEAT



SEAT



Fabric: T and N
 (see finishes and fabric card)

BACK



Moulded polypropylene (P.P)




Upholstered over foam (40kg/m^3),
 Fabric T or Fabric N



SEBS double layer padded injection
 on the rigid Polypropylene (P.P)
 shell with mineral particles

8,53% recycled materials



MATERIALS

SPACIO has been designed to be manufactured with recycled materials 8,53%, danger substances such as chrome, mercury or cadmium are not used in big quantity. Recyclables Aluminium and Steel 100%. Organic volatile Components. Packages manufactured with recycled carton. Ink thinner free.



PRODUCTION

Energy use is optimized during the production process. Minimum environmental impact. Last generation technological system in coating processes. Painting that have not been used is recovered to use it again. Zero COVs emissions and other contaminant gas. Close water circuit to clean the metals. Heat recovery. Automatic manufacture systems. Cut process is planned.



TRANSPORT

Optimum packaging to reduce space in transport and save energy.



USE

Long lasting use. Spare parts and replacements available. Easy to clean and maintenance.



DISPOSAL

98,99% recyclable. Easy and quick to split **SPACIO** components. Packages are reuse by our supplier to avoid waste generation. Carton used in packages is recyclable.

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsible forestry



PEFC Certificate



EN ISO 14006:2011 ECODESIGN Certificate



UNE-EN ISO 9001:2008 ISO 9001 Certificate



UNE-EN ISO 14001:2004 ISO 14001 Certificate



E1 by EN 13986 Certificate



ACTIU TECHNOLOGICAL PARK
project certified as LEED® GOLD
by U.S. Green Building Council 2011
Leadership in Energy & Environmental Design

■ **ERGONOMICS**

SPACIO available for all type of users. Perfect for any need and keep user's posture in a natural way without any manual adjustment.

■ **STANDARDS**

SPACIO has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture. The tests correspond to:

Confident office chair. Standard applied

- **UNE-EN 13761:04.** Office furniture. Confident chairs.

■ **ECOLOGY**

ENERGY SAVING

The new technological production system included, reduce the energy resources used to manufacture each component. Materials are very well used to avoid wastes.

RECYCLED AND RECYCABLE MATERIALS

ACTIU environmental policy opts to use recycled materials in those components where functionality and lasting is not a condition. Materials used in **SPACIO** such as Aluminium or Steel are totally recyclable.