



- **Code:** FTSM 1007 007
- **Description:** Rounded leg desks, frame structure. Easy to assemble



■ FRAME AND SUPPORTS

1,5mm thickness laminated steel, 40mm diameter legs, 40 x 20 mm frame epoxi finish. Legs available with different supports:

Anti-skid ABS moulded **Levellers**

Height adjustable system 67,9 cm - 75,9 cm without fixed positions, it has a progressive mechanism


Anti-skid 65 mm diameter **Castors**. 2 lockable castors.

■ FRAME




Silver


■ SUPPORTS



Levellers
Height 73 cm




Height adjustable
Height: 67,5 - 75,9 cm



Castors
Height 73 cm

■ FINISHES

MFC (19 mm)



White



Maple



Light Oak



Elm



Walnut-N

Glass (5+5 mm)



Frosted

(See finishes cards)



■ LINKING DEVICES

Moulded aluminium linking devices with epoxy finish. It is possible to form different table shapes to be used in conference or meeting rooms.



■ DYNAMIC ACCESSORIES

We have different accessories available for Dynamic programme:



Cable ties



Linking devices



Tool bars and desk-mounted screens



3rd level accessories rails



CPU holder



■ FRAME AND SUPPORTS

1,5 mm thickness laminated steel, 40mm diameter legs, 40 x 20 mm frame epoxi finish. Legs available with different supports. Anti-skid ABS moulded levellers.

■ FRAME



Silver

■ FRAME



Levellers
Height 73 cm

■ FINISHES

MFC: Surfaces - 25 mm / Fronts - 16 mm



(See finishes cards)

■ FRONT PANELS

MELAMINE: Chipboard 16mm thickness MFC covered. 2 mm ABS thermo bounded edging R: 2 mm.

METAL: 1,5 mm laminated steel panels in silver epoxy finish.

MELAMINE



Silver MFC



White MFC



Maple MFC



Elm MFC




Wengue MFC

METAL



Silver

48,17% recycled materials



MATERIALS

DYNAMIC has been designed to be manufactured with recycled materials 48,17%, danger substances such as chrome, mercury or cadmio are not used in big quantity. Recyclable Aluminium, Steel and Woods 100%. Organic volatile Components. Packages manufactured with recycled carton. Ink thinner free.



PRODUCTION

Energy use is optimized during the production process. Minimum environmental impact. Last generation technological system in coating processes. Painting that have not been used is recovered to use it again. Zero COVs emissions and other contaminant gas. Close water circuit to clean the metals. Heat recovery. Automatic manufacture systems. Cut process is planned.



TRANSPORT

Optimum packaging to reduce space in transport and save energy.



USE

Long lasting use. Spare parts and replacements available. Easy to clean and maintenance.



DISPOSAL

96,1% recyclable. Easy and quick to split **DYNAMIC** components. Packages are reuse by our supplier to avoid waste generation. Carton used in packages is recyclable.

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsible forestry



PEFC Certificate



EN ISO 14006:2011
ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004
ISO 14001 Certificate



E1 by EN 13986 Certificate



ACTIU TECHNOLOGICAL PARK
project certified as LEED® GOLD
by U.S. Green Building Council 2011
Leadership in Energy & Environmental Design

■ **ERGONOMICS**

DYNAMIC available for all type of users. Perfect for any need and keep user's posture in a natural way without any manual adjustment.

■ **STANDARDS**

DYNAMIC has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture. The tests correspond to UNE standards and office desks:

- **UNE: EN 527-1:2003.** Office Furniture. Desks. Part 1: Dimensions.
- **UNE: EN 527-2:2003.** Office Furniture. Desks. Part 2: Mechanical security requirements.
- **UNE: EN 527-3:2003.** Office Furniture. Desks. Part 3: Test to determine stability and structure resistance.

■ **ECOLOGY**

ENERGY SAVING

The new technological production system included, reduce the energy resources used to manufacture each component. Materials are very well used to avoid wastes.

RECYCLED AND RECYCABLE MATERIALS

ACTIU environmental policy opts to use recycled materials in those components where functionality and lasting is not a condition. Materials used in **DYNAMIC** such as Aluminium, Steel or Wood are totally recyclable.

SUSTAINABLE CERTIFICATE

ACTIU has **PEFC and FSC** certificate to proof that the wood used in our products comes from sustainable exploitations and **ECODESIGN ISO 14006** certificate.

■ REMARKABLE VALUES

1 – Electrostatic coat, epoxy bonding 2nd generation. Polymerized 200°C with nano-ceramics and non-grease treatments to improve better covering and provide then better resistance and lasting.

2 – Coating 80-90 micron thickness (it could be different as per the project requirements).

This covering guarantees the finish and maintenance of metal structures.

3 – Painting process:

Actiu painting plant has minimum environmental impact against the traditional industry processes.

Treatment is done by polarized coating and compacted with temperature. We get homogeneous and regular application with 98% of painting and the remaining 2% is used to produce other paints. Paints used are COVs free(Volatile Organic Components) which are very dangerous for the environment. All water used in the process is re-used, so we get zero dump. The process is free in heavy metal, phosphate, organic components and DQD(Biochemical demand of Oxygen). The program gives us an exact control of thickness, so it provides us with standard thickness (80-90 micron).

4 – ACTIU has **PEFC and FSC** certificate to proof that the wood used in our products comes from sustainable exploitations and **ECODESIGN ISO 14006** certificate.

5 – **Optional** accessories fixed to the beams, modesty panels, screens, CPU holders or fixed pedestals.